

**Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A counterfeiting prevention label comprising:
  - a base sheet; and
  - a volume hologram ~~layer~~ covering a part of a front surface of the base sheet, formed by a transfer process, wherein:
    - the volume hologram ~~layer~~ has the shape of a ribbon and extends between a first end of the base sheet and a second end of the base sheet opposite the first end;
    - an end surface of one end of the volume hologram ~~layer~~ is flush with an end surface of the first end of the base sheet;
    - an end surface of an other end of the volume hologram ~~layer~~ is flush with an end surface of the second end of the base sheet;
    - a self-adhesive layer is formed on a back surface of the base sheet, and the self-adhesive layer is covered with a release sheet, and the release sheet is larger than the base sheet;
    - the volume hologram ~~layer~~ does not cover an entire surface of the base sheet and the front surface of the volume hologram ~~layer~~ is exposed to an outside of the front surface of the base sheet ~~counterfeiting prevention label~~; and
    - printing is made ~~from a~~ on the front surface of the volume hologram ~~layer~~ to and continues onto the front surface of the base sheet.
2. (Currently Amended) The counterfeiting prevention label according to claim 1, wherein the base sheet has a quadrilateral shape, and
  - the volume hologram ~~layer~~ extends between a first side of the base sheet and a second side of the base sheet opposite the first side.

3. (Currently Amended) The counterfeiting prevention label according to claim 1, wherein the volume hologram ~~layer~~ is bonded to the front surface of the base sheet with a heat-sensitive adhesive layer or a pressure-sensitive adhesive layer.

4. (Currently Amended) The counterfeiting prevention label according to claim 1, wherein the surface of the volume hologram ~~layer~~ not facing the base sheet is coated with a protective layer.

5. (Currently Amended) The counterfeiting prevention label according to claim 1, wherein the part, coated with the volume hologram ~~layer~~, of the front surface of the base sheet is depressed relative to a part, not coated with the volume hologram, of the front surface of the base sheet to form a depression.

6. (Canceled)

7. (Currently Amended) The counterfeiting prevention label according to claim 1, wherein the release sheet is larger than the base sheet,  
the base sheet, the volume hologram ~~layer~~ and the self-adhesive layer form a laminated structure,  
a plurality of laminated structures are arranged on the release sheet, and  
the plurality of laminated structures have substantially a same desired shape in a plane and are spaced apart from each other.

8. (Currently Amended) The counterfeiting prevention label according to claim 1, wherein characters are printed on the volume hologram ~~layer~~ and/or a part, not coated with the volume hologram ~~layer~~, of the front surface of the base sheet.

9. (Withdrawn - Currently Amended) A counterfeiting prevention label manufacturing method comprises the steps of:

forming a transfer ribbon by releasably laminating a volume hologram ~~layer~~ to a support sheet;

transferring the volume hologram ~~layer~~ to a front surface of a base sheet by a transfer process by superposing the transfer ribbon on the base sheet with the volume hologram ~~layer~~-facing the base sheet;

blanking out the base sheet and the volume hologram ~~layer~~ in a predetermined shape; and

forming a self-adhesive layer on a back surface of the base sheet, and the adhesive layer is covered with a release sheet, and the release sheet is larger than the base, wherein:

the volume hologram ~~layer~~ is transferred to the front surface of the base sheet such that the volume hologram ~~layer~~ does not cover the entire surface of the base sheet and the front surface of the volume hologram ~~layer~~ is exposed to an outside of the ~~counterfeiting prevention label~~ front surface of the base sheet; and

printing is made ~~from~~ from the front surface of the volume hologram ~~layer~~ to the front surface of the base sheet.

10. (Withdrawn-Currently Amended) The counterfeiting prevention label manufacturing method according to claim 9,

wherein a depression is formed in the surface of the base sheet before transferring the volume hologram ~~layer~~ to the surface of the base sheet, and

the volume hologram ~~layer~~ is transferred to the bottom surface of the depression.

11. (Withdrawn- Currently Amended) The counterfeiting prevention label manufacturing method according to claim 9,

wherein characters are printed on the volume hologram ~~layer~~ and/or a part, not coated with the volume hologram ~~layer~~, of the front surface of the base sheet before blanking out the base sheet and the volume hologram ~~layer~~ in a desired shape.